

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of)
)
Robert Maher et al.) Group Art Unit: 2116
)
Application No.: 10/784,702) Confirmation No.: 1291
Filed: February 23, 2004)
) Examiner: Thuan N. Du
Now U.S. Patent No. 7,509,512 B2)
Issued March 24, 2009)
)
For: INSTRUCTION-INITIATED METHOD FOR)
SUSPENDING OPERATION OF A)
PIPELINED DATA PROCESSOR)

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

ELECTRONIC SUBMISSION

**REQUEST FOR CERTIFICATE OF CORRECTION OF
PATENT FOR PTO MISTAKE 37 CFR § 1.322(A)**

Dear Sir:

Pursuant to 37 C.F.R. §1.322(a), hereby request that a Certificate of Correction be issued for U.S. Patent No. 7,509,512 B2. Attached is Form PTO/SB/44 with errors and changes requested.

Error In	Data	Correct Data
Column 2, Line 32	disabling the first clock signal,	disabling the first clock signal[,].
Column 3, Line 27	...supervision operations a for the computer system...	...supervision operations a for the computer system...
Column 3, Line 31	...BIOS 16 a and logic 18...	...BIOS 16 a and logic 18...
Column 5, Line 47	...disabled. Once, the busy...	...disabled. Once[,], the busy...

Please send the Certificate of Correction to the following:

Mark A. Dalla Valle, Esq.
Vedder Price P.C.
222 N. LaSalle St., Suite 2600
Chicago, Illinois 60601

It is believed there is no fee due. In the event there is a fee, the Commissioner is hereby authorized to charge any additional fees to Deposit Account Number 22-0259.

Dated: April 3, 2009

Respectfully submitted,

VEDDER PRICE P.C.
222 N. LaSalle St., Suite 2600
Chicago, Illinois 60601
telephone: 312-609-7500
facsimile: 312-609-5005

By: 

Mark A. Dalla Valle
Registration No. 34,147
Attorney for Assignee

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,509,512 B2
APPLICATION NO. : 10/784,702
ISSUE DATE : March 24, 2009
INVENTOR(S) : Robert Maher et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

At Column 2, Line 32,
after "signal" please delete "," and insert -- . -- in its place.

At Column 3, Line 27,
after "supervision operations" please delete "a".

At Column 3, Line 31,
after "BIOS 16" please delete "a".

At Column 5, Line 47,
after "Once" please delete ",", .

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Mark A. Dalla Valle
VEDDER PRICE P.C.
222 North LaSalle Street
Suite 2600
Chicago, Illinois 60606